



HANCOCK COUNTY CAUV HISTORY CHART

MAP SYMBOL	SOIL NAME	2022 CAUV	2019 CAUV	2016 CAUV	2013 CAUV	2010 CAUV	2007 CAUV
AdA	Adrian muck	770	570	1120	1250	380	100
AkA	Alvada loam	2880	2720	3840	3220	1550	620
AmA	Alvada-Urban land complex	2880	2720	3840	3220	1550	620
AnA	Aquents, clayey	350	350	350	350	200	100
ApB	Arkport loamy fine sand	990	780	1290	1280	440	100
ArA	Aurand loam	2880	2720	3840	3220	1550	630
AsA	Aurand-Urban land complex	2880	2720	3840	3220	1550	630
BgA	Biglick-Milton complex	350	350	350	350	200	340
BgB	Biglick-Milton complex	350	350	350	350	200	310
BnA	Blount loam	1950	1740	2560	2210	980	290
Ble1A1	Blount silt loam, end moraine	1950	1740	2560	2210	980	290
Ble1B1	Blount silt loam, end moraine	1690	1470	2210	1940	860	280
Blg1A1	Blount silt loam, ground moraine	1950	1740	2560	2210	980	290
Blg1A1	Blount silt loam, ground moraine	1690	1470	2210	1940	860	280
BpA	Blount-Houcktown complex	1970	1800	2570	2230	990	300
BrA	Blount-Jenera complex	1810	1660	2390	2150	940	250
BuA	Blount-Urban land complex	1810	1740	2390	2230	990	290
ChC	Channahon-Biglick complex	350	350	350	350	200	100
CoA	Colwood loam	3550	3400	4620	3750	1880	850
CtA	Cygnets loam	1710	1480	2180	1920	830	220
CuA	Cygnets-Urban land complex	1710	1480	2180	1920	830	220
DbA	Darroch loam	2840	2660	3700	3030	1470	590
DeA	Del Rey silt loam,	1690	1470	2210	1940	860	190
DfA	Del Rey-Blount complex	1790	1620	2330	2110	920	230
DuB	Dunbridge loamy fine sand	350	350	350	590	200	100
EmA	Elliott silt loam	1910	1700	2500	2180	960	280
FbA	Flatrock loam, OF-PH	2130	1910	2710	2330	1050	340
FcA	Flatrock silt loam, OF-PH	2130	1910	2710	2330	1050	100
FdA	Flatrock silt loam, LM-SUBST, OF-PH	2130	1910	2710	2330	1050	340
FoA	Fox loam	870	660	1160	1200	420	100
FoB	Fox loam	730	520	970	1060	330	100
FoC2	Fox loam, eroded	580	400	410	680	200	100
FsA	Fulton silt loam	1160	910	1450	1400	550	100
FtA	Fulton silt loam, T-SUBST	1160	910	1280	1400	550	100
GaB	Gallman loam	1190	940	1490	1450	580	100
GfA	Gilford mucky loam	3140	2980	4110	3340	1610	660
GmA	Glynwood loam, LM-SUBST	1380	1140	1790	1680	690	100
GpB2	Glynwood silty clay loam, eroded	500	490	940	860	220	100
GpC2	Glynwood silty clay loam, eroded	350	400	630	650	200	100
GsB	Glynwood-Blount-Houcktown, complex	1560	1330	2030	1800	770	140
GuB	Glynwood-Urban land complex	1560	920	2030	1800	530	100
Gwd5C2	Glynwood clay loam, end moraine, eroded	480					
Gwe1B1	Glynwood silt loam, end moraine	1120	920	1520	1470	530	100



HANCOCK COUNTY CAUV HISTORY CHART

MAP SYMBOL	SOIL NAME	2022 CAUV	2019 CAUV	2016 CAUV	2013 CAUV	2010 CAUV	2007 CAUV
Gwe5B2	Glynwood clay loam, end moraine, eroded	640					
Gwg1B1	Glynwood silt loam, grd moraine	1120					
Gwg5B2	Glynwood clay loam, grd moraine, eroded	640	920	1520	1470	530	100
Gwg5C2	Glynwood clay loam, grd moraine, eroded	480					
HaA	Harrod silt loam, FF-PH	1920	1800	2690	2390	1050	260
HcA	Hoytville silty clay loam	2640	2500	3440	2900	1380	520
HkA	Haskins fine sandy loam	1960	1720	2450	2110	940	260
HnA	Haskins loam	2170	2020	2850	2400	1120	340
HoA	Hoytville clay loam	2640					
HpA	Houcktown loam	2050	1820	2590	2220	1000	310
HpB	Houcktown loam	1870	1690	2430	2100	920	340
HrB	Houcktown-Glynwood-Jenera, complex	1580	1360	2060	1830	790	160
HtA	Hoytville silty clay	2610	2460	3380	2850	1350	500
JeA	Jenera fine sandy loam	1740	1530	2290	2020	910	240
JeB	Jenera fine sandy loam	1520	1350	2070	1840	800	230
JfB	Jenera-Shinrock, T-SUBST complex	1660	1440	2180	1940	860	210
JoA	Joliet loam	350	350	350	350	200	100
KnA	Knoxdale silt loam, OF-PH	2210	1990	2850	2430	1100	360
LbA	Lamberjack loam	2110	1880	2690	2290	1030	310
LcA	Lamberjack-Urban land complex	2110	1880	2690	2290	1030	310
LuB2	Lucas silty clay loam, eroded	350	350	350	600	200	100
LyE	Lybrand silt loam	350	350	350	350	200	170
MbA	Medway silt loam, OF-PH	2410	2210	3160	2710	1250	490
McA	Medway silt loam, LM-SUBST, OF-PH	2410	2220	3160	2720	1250	490
MeA	Mermill loam	2880	2720	3840	3220	1550	620
MfA	Mermill clay loam	2690	2570	3630	3060	1450	560
MgA	Millsdale silty clay loam	2000	1970	2590	2170	1010	300
MnA	Milton silt loam	1230	1040	1630	1480	600	100
MpD3	Morley clay loam, severely eroded	350	350	350	350	200	100
MrA	Morley loam, LM-SUBST	1430	1250	1920	1730	740	130
MsB	Morley, LM-SUBST-Milton, complex	1260	1020	1600	1540	630	170
MvB	Mortimer silt loam	480	400	630	840	200	100
MwB2	Mortimer silty clay loam, eroded	350	350	350	500	200	100
NnA	Nappanee loam	1450	1210	1900	1770	760	110
NnB	Nappanee loam	1160	960	1570	1520	570	100
NpA	Nappanee silty clay loam	1450	1210	1900	1520	570	100
NpB2	Nappanee silty clay loam, eroded	740	520	980	1070	340	100
NrA	Nappanee-Urban land complex	1160	1210	980	1770	760	110
OrA	Oshtemo fine sandy loam	1070	870	1380	1270	490	100
OrB	Oshtemo fine sandy loam	960	680	1130	1130	410	100
OrC	Oshtemo fine sandy loam	690	480	860	920	250	100
OsB	Oshtemo sandy loam, T-SUBST	800	590	1020	1050	320	100
OwB	Ottokee loamy fine sand	1130	890	1410	1370	540	100



HANCOCK COUNTY CAUV HISTORY CHART

MAP SYMBOL	SOIL NAME	2022 CAUV	2019 CAUV	2016 CAUV	2013 CAUV	2010 CAUV	2007 CAUV
PbA	Patton silty clay loam	2310	2130	3060	2560	1210	390
PmA	Pewamo silty loam	2700	2560	3530	2970	1410	540
PnA	Pewamo-Urban land complex	2700	2560	3530	2970	1410	540
Pt	Pits, quarry	350	350	100	100	100	100
RcA	Randolph silt loam	1640	1420	2150	1870	820	140
RgB	Rawson sandy loam	1590	1410	2040	1850	780	170
RhA	Rensselaer loam, T-SUBST	3550	3420	4640	3780	1900	880
RnA	Rimer loamy sand	1240	990	1580	1500	600	100
RoA	Rimer loamy fine sand, DEEP-PH	1240	1100	1580	1550	630	100
RtA	Rosburg silt loam, OF-PH	2820	2640	3800	3120	1490	570
SeA	Shawtown loam	740	520	980	1060	330	100
SeB	Shawtown loam	550	430	790	900	240	100
SfB	Shinrock silt loam	1520	1350	2070	1840	800	230
SgC2	Shinrock silty clay loam, eroded	1070	870	1430	1200	420	120
SkB	Shinrock, T-SUBST-Glynwood complex	1400	1160	1820	1720	720	110
SmA	Shoals silt loam, OF-PH	2010	1810	2660	2310	1030	300
SnA	Sloan loam, OF-PH	2520	2330	3270	2770	1300	470
SoA	Sloan silty clay loam, OF-PH	2350	2210	3110	2630	1220	400
SpA	Sloan silty clay loam, LM-SUBST, OF-PH	2350	2210	3110	2630	1220	400
StB2	St. Clair silty clay loam, eroded	350	350	350	500	200	100
StC2	St. Clair silty clay loam, eroded	350	350	350	350	200	100
ThA	Thackery loam, T-SUBST	1680	1460	2200	1920	850	170
TkA	Tiderishi loam	2840	2660	3700	3030	1470	590
TnA	Toledo silty clay loam	2210	2000	2860	2440	1100	340
ToB	Tuscola loamy fine sand	1630	1270	1950	1750	750	190
TpA	Tuscola fine sandy loam	1740	1530	2290	2020	910	240
TpB	Tuscola fine sandy loam	1520	1350	2070	1840	800	230
TuB	Tuscola silt loam	2040	1850	2720	2340	1050	420
UcA	Udorthents, loamy	350	350	350	350	200	
UcD	Udorthents, loamy	350	350	350	350	200	
VaA	Vanlue loam	2310	2100	2950	2490	1170	370
VeA	Vaughnsville loam	1440	1260	1950	1740	730	100
WeA	Westland-Rensselaer complex	3310	3180	4400	3600	1750	770